

# One-Bend Drawings of Outerplanar Graphs Inside Simple Polygons

**Patrizio  
Angelini**

John Cabot  
University  
Rome

**Philipp  
Kindermann**

Universität  
Trier

**Andre  
Löffler**

Universität  
Würzburg

**Lena  
Schlipf**

Universität  
Tübingen

**Antonios  
Symvonis**

National  
Technical  
University of  
Athens

Graph Drawing 2021


# Problem

## Input

- Biconnected outerplanar graph  $G = (V, E)$
- Drawing of the outer face of  $G$  as simple polygon  $P$

## Question

Does  $G$  admit an outerplanar drawing with at most one bend per edge that contains the given drawing of the outer face?




# Problem

## Input

- Biconnected outerplanar graph  $G = (V, E)$
- Drawing of the outer face of  $G$  as simple polygon  $P$

## Question

Does  $G$  admit an outerplanar drawing with at most one bend per edge that contains the given drawing of the outer face?



# Motivation & Related Work

- Prescribing the **outer face**: many results  
[Tutte '63] [Hong, Nagamochi '07]
- Extension of straight-line drawings: NP-hard  
[Patrignani '06]
- Allowing overlaps of edges and polygonal region:  $\exists\mathbb{R}$ -complete  
[Lubiw, Miltzow, Mondal '18]

## Non-straight edges:

- Extension of planar topological drawing: linear time  
[Angelini et al '15]
- Linear number of bends per edge suffices ( $72 |P|$ )  
[Chan et al. '15]
- $P$  star-shaped: **one bend** suffices  
[Mchedlize, Urhausen '18]

# Problem

## Input


- Biconnected outerplanar graph  $G = (V, E)$
- Drawing of the outer face of  $G$  as simple polygon  $P$

## Question

$G$  admits an outerplanar drawing with at most one bend per edge that contains the given drawing of the outer face?


Can be decided in  $O(nm)$  time

( $n$ : # vertices,  $m$ : # interior edges).




# Algorithm overview

- $G$  is a biconnected outerplanar graph  $\Rightarrow$  use dual tree
- Traverse the tree bottom-up, incrementally process edges and refine the polygon  $P$




# Algorithm overview

- $G$  is a biconnected outerplanar graph  $\Rightarrow$  use dual tree
- Traverse the tree bottom-up, incrementally process edges and refine the polygon  $P$



# Algorithm overview


- $G$  is a biconnected outerplanar graph  $\Rightarrow$  use dual tree
- Traverse the tree bottom-up, incrementally process edges and refine the polygon  $P$







# Algorithm overview

- $G$  is a biconnected outerplanar graph  $\Rightarrow$  use dual tree
- Traverse the tree bottom-up, incrementally process edges and refine the polygon  $P$




# Algorithm overview

- $G$  is a biconnected outerplanar graph  $\Rightarrow$  use dual tree
- Traverse the tree bottom-up, incrementally process edges and refine the polygon  $P$
- Graph fits in polygon  $\Leftrightarrow$  sub-graph fits in refined polygon
- Place the bend points for the edges in a top-down traversal




# Details: Refine the polygon




# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts




# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**




# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**




# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**



# Details: Refine the polygon


- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible






# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible




# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible




# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible




# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible




# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible



# Details: Refine the polygon


- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible



**reflex**  
unique “minimal” bend  
point

# Details: Refine the polygon


- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible



**reflex**  
unique “minimal” bend  
point

# Details: Refine the polygon


- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible






# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible




# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible




# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible



# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible




**convex**

wherever the bend point is placed, some points will be cut off for sure

# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible




**convex**

wherever the bend point is placed, some points will be cut off for sure

# Details: Refine the polygon


- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible



**convex**  
wherever the bend point  
is placed, some points  
will be cut off for sure

# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible




**convex**

wherever the bend point is placed, some points will be cut off for sure

# Details: Refine the polygon

- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible




**convex**  
wherever the bend point  
is placed, some points  
will be cut off for sure



# Details: Refine the polygon


- Drawing an edge cuts the polygon into two parts
- Classify the edges: **reflex** or **convex**
- Refine the polygon in the least restrictive way: cut off as little as possible




**convex**

wherever the bend point is placed, some points will be cut off for sure


# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons



# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons






# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons



# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons







# Example




- 
- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- 
- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example



- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example



- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons



# Example



- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example



- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example



- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons



# Example



- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges over convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons






# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons


# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons



# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons







# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example




- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




# Example



- Traverse the dual tree twice
- Bottom-up: refine the polygon
  - choose reflex edges before convex edges (corresponding to leaves)
- Top-down: place bend points in the refined polygons




Why this order?







# Why this order?




# Why this order?




Why this order?




# Why this order?



Why this order?




Why this order?






Why this order?







Why this order?




# Why this order?




Why this order?




Why this order?




# Why this order?




# Why this order?



# Why this order?



# Why this order?






# Running time

$n$ : # vertices

$m$ : # interior edges

- Tree has  $O(m)$  nodes
- Per node: computer visibility polygon  $O(n)$   
(each refined polygon has  $O(n)$  edges)



$O(mn)$  time to decide whether  $G$  admits an outerplanar drawing with at  $\leq 1$  bend per edge that contains the given drawing of the outer face

In the positive case, the drawing can also be computed

# Open problems

- More bends?
- Outer 1-planar drawings?